

Series 7, Contemporary Single DishDrawer Dishwasher

Series 7 | Contemporary




Designed to fit your full-sized dinner plates, this DishDrawer™ can be placed anywhere in your kitchen, for loading dishes with less bending.

- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options
- Flexible racking allows you to customise internal shelves to suit your needs

DIMENSIONS

Height	410 mm
Width	599 mm
Depth	573 mm



FEATURES & BENEFITS

Easy To Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria* in the final rinse. The Extra Dry setting is perfect for plastic dishes. *Certified to NSF/ANSI Standard 184

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

Seamless Integration

DishDrawer™ Dishwashers integrate beautifully into any kitchen space. They're designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials.

SPECIFICATIONS

Accessories (included)

- Cutlery basket
- Knife clip and multipurpose clip

Capacity and loading

Accommodates round plates up to	280mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7
Place settings	7

Consumption

Energy rating	3.5 star
Energy usage	136 kWh/year
In-use energy carbon emissions estimate	12.9kgCO2e/year
Water consumption (per wash cycle)	6.9L

Water rating	4.5 star (WELS)	Depth	573 mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020
		Height	410 mm	
		Width	599 mm	
Controls				Other product downloads available at fisherpaykel.com
Electronic fault/Diagnostic indicator	•	Wash Program Modifiers		
End of cycle beeps	•			
Energy saving delay start option of up to 12 hours	•	Extra Dry	•	↓ 2D-DWG Single DishDrawer™ Dishwasher ↓ 2D-DXF Single DishDrawer™ Dishwasher ↓ Data Sheet Single DishDrawer™ Dishwasher ↓ Energy Rating ↓ Installation Guide Single DishDrawer™ Dishwasher ↓ Revit Single DishDrawer™ Dishwasher ↓ Rhino Single DishDrawer™ Dishwasher ↓ Sketchup Single DishDrawer™ Dishwasher ↓ User Guide DishDrawer™ Dishwasher ↓ Wash Program Data ASNZS DishDrawer™ Dishwasher ↓
Keylock	•	Quick	•	
Rinse aid indicator light	•	Sanitise	•	
Smart appliance	•	Wash modifiers	3	
Features		Wash Programs		
Fan assisted drying	•	Delicate	•	
Flow through detergent dispenser	•	Fast	•	
Motor type	BLDC	Heavy	•	
Quiet operation	•	Medium	•	
SmartDrive™ technology	•	Normal eco	•	
		Rinse	•	
		Wash programs	6	
Performance		Water connection		Where applicable: All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.
Noise emissions	42 dBA	Water pressure	30kPa - 1000 kPa	
		Water supply	3/4" BSP (20mm) Connector Water Inlet Hose	
Power requirements				Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.
Amperage	5A			
Supply frequency	50Hz			
Supply voltage	220 - 240V			
Product dimensions		SKU	82316	



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 W www.fisherpaykel.com