QUICK REFERENCE GUIDE > OR90SCG1X1 Date: 15.09.2025 > 1

# 90cm Series 5 Classic 5 Burner Dual Fuel Cooker

Series 5 | Classic



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a seven-function convection oven.


- · Five burner gas cooktop, with precise heat control
- Convection oven with 140L total capacity and seven oven functions
- Optional non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

Height 898 - 946 mm

Width 897 mm

Depth 600 mm



# **FEATURES & BENEFITS**

# **Quality And Durability**

Every detail has been carefully crafted, from the solid balanced door to the durable cooktop trivets and large capacity oven.

## Impressive Capacity

With an extra large 140L capacity, this range has plenty of space for cooking multiple dishes at the same time.

## **Burner Power & Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear and stir fry over powerful heat, or simmer a delicate sauce to perfection.

## Even Heat

Dishes on the top shelf turn out as perfectly as the ones on the bottom, due to our  $AeroTech^{\mathsf{TM}}$  convection system that circulates air evenly throughout the entire oven.

## Easy To Clean

Your cooktop simply needs a quick wipe to keep it looking good as new, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

## Safe And Sound

The door and cavity cooling system keeps the heat on the inside, protecting your hands and surrounding cabinetry. The flame failure safety device automatically turns off the gas if the flame is accidentally extinguished.

# **SPECIFICATIONS**

#### Accessories (included)

Chromed shelf runners	1 se
Flat wire shelf	
Roasting dish	
Small pot support	1 (part 533981)
Square foot covers, stainless steel	
Step down wire shelf	•

# Accessories (sold separately)

Full extension sliding shelves	Optional (part 578744)	
Full extension telescopic shelves	Optional (part 578744)	
Kick strip, stainless steel (optional)	KICKOR90X1	

Burner ratings		Automatic cooking/minute timer	•	CoolTouch door	Double glazed
Auxiliary burner (LPG)	3.9MJ/h	Celsius/Fahrenheit temperature	•		
Auxiliary burner (natural gas)	3.9MJ/h	Electronic clock	•		
Maximum burner power	16.2MJ/h	Laser etched graphics	•	Power requirements	
Rapid burner (LPG)	11.8MJ/h	Turned stainless steel clock buttons	•	Amperage	14 A
Rapid burner (natural gas)	11.5MJ/h			Supply frequency	50 Hz
Semi-rapid burner (LPG) x2	5.8MJ/h			Supply voltage	220 - 240 V
Semi-rapid burner (natural gas) x2	6.5MJ/h	Installation Dimensions			
Total cooktop power	44.6MJ/h	Installation cutout dimensions (Depth)	600 mm		
Wok burner (LPG)	14.9MJ/h	Installation cutout dimensions (Width)	900 mm	Product dimensions	
Wok burner (natural gas)	16.2MJ/h			Depth	600 mm
				Height	898 - 946 mm
		Oven features		Width	897 mm
Capacity		AeroTech™ technology	•		
Shelf positions	6	Storage compartment	•		
Shelf positions (main oven)	6	True convection	•	Rangetop features	
Total capacity	140 L	Twin cavity fans	•	Hob rear trim	60 mm
Usable capacity	121 L			LPG / Natural Gas compatible	•
Usable capacity (main oven)	121 L	Oven functions		Sealed range top	•
		Bake	•		
Cleaning		Defrost	•	Safety	
Acid resistant graphite enamel	•	Fan bake	•	Advanced cooling system	•
Drop down grill element	•	Fan forced	•	Anti-tilt bracket	•
Removable oven door	•	Fan grill	•	Balanced oven door	•
Removable oven door inner glass	•	Grill	•	CoolTouch door	•
Removable shelf runners	•	Number of functions	7	Flame failure system	•
		True convection	•	Full extension telescopic shelves	Optional (part
		Warm	•	New Weether	578744)
Controls				Non-tip shelves	•
Audio feedback	•			Spill containment	26 L
		Oven performance			

QUICK REFERENCE GUIDE > OR90SCG1X1 Date: 15.09.2025 > 3

SKU 81678

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

## Other product downloads available at fisherpaykel.com

↓ Installation Guide

↓ Installation Guide - Kick Strip

↓ Revit Dual Fuel Cooker

Rhino Dual Fuel Cooker

↓ Sketchup Dual Fuel Cooker

User Guide Dual Fuel Cooker

# Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

