

## 61cm Series 11 Integrated Column Freezer, Ice

Integrated




<p>Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.</p>

- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

### DIMENSIONS

Height	2134 mm
Width	603 mm
Depth	610 mm



### FEATURES & BENEFITS

#### Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care - and your levels of convenience - in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

#### DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

#### Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

#### Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

#### Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

#### Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

#### Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

### SPECIFICATIONS

Accessories (included)

Joiner kit	<b>AJ-RS21LR</b>	In-use energy carbon emissions estimate	<b>42.9kgCO2e/year</b>	ActiveSmart™ Foodcare	•
<hr/>		<hr/>		Adaptive defrost	•
<b>Accessories (sold separately)</b>		<b>Features</b>		Dual evaporator	•
Door panel stainless steel Left hinge 610mm	<b>RD6121L10D</b>	Adjustable door shelves	<b>4</b>	Frost free	•
Door panel stainless steel Right hinge 610mm	<b>RD6121R10D</b>	Adjustable glass cantilevered shelves	•	Frost free freezer	•
Handle kit Classic	<b>AHCLRDSF</b>	Adjustable glass shelves	<b>4</b>	Inverter controlled compressor	•
Handle kit Contemporary round, aluminium	<b>AHSRDSF</b>	Adjustable half width door shelves	<b>3</b>	Noise emissions	<b>42 dBA</b>
Handle kit Contemporary square fine, aluminium	<b>AHD5RDSF</b>	Front levelling feet	•	Noise emissions class	<b>D</b>
Handle kit Contemporary square fine, black	<b>AHD5RDSFB</b>	Smart appliance	•	Sabbath mode	•
Handle kit Professional round flush	<b>AHP3RDSF</b>	<hr/>		Variable temperature zones	<b>2</b>
Joiner kit	<b>AJ-RS21LR</b>	<b>Freezer Features</b>		<hr/>	
Toe kick stainless steel 1220mm	<b>AKRS12210</b>	Automatic ice maker	•	<b>Power requirements</b>	
Toe kick stainless steel 1372mm	<b>AKRS13710</b>	Bottle chill	•	Rated current	<b>10 A</b>
Toe kick stainless steel 1828mm	<b>AKRS18310</b>	Door alarm	•	Supply frequency	<b>50 Hz</b>
Toe kick stainless steel 1981mm	<b>AKRS19810</b>	Fast freeze	•	Supply voltage	<b>230 - 240 V</b>
Toe kick stainless steel 610mm	<b>AKRS06110</b>	Freezer bins	<b>4</b>	<hr/>	
Water filter replacement	<b>847200 - FWC3</b>	Ice Boost	•	<b>Product dimensions</b>	
<hr/>		LED bin lighting	•	Depth	<b>610 mm</b>
<b>Capacity</b>		LED ceiling lighting	•	Height	<b>2134 mm</b>
Total gross capacity	<b>368 L</b>	LED side lighting	•	Width	<b>603 mm</b>
Volume	<b>336 L</b>	SmartTouch interface at counter height	•	<hr/>	
Volume freezer	<b>336 L</b>	<b>Installation Dimensions</b>		<b>Product information</b>	
Volume variable temperature compartment	<b>295 L</b>	Minimum inside width of cabinetry frame	<b>610 mm</b>	Packaged weight	<b>137 kg</b>
<hr/>		Minimum internal depth of cabinetry	<b>635 mm</b>	Unpackaged weight	<b>117 kg</b>
<b>Consumption</b>		Minimum internal height of cabinetry	<b>2134 mm</b>	<hr/>	
Energy rating	<b>2.5 star</b>	<hr/>		SKU	26159
Energy usage	<b>452kWh/year</b>	<b>Performance</b>		<hr/>	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)

- [↓ DWG](#)
- [↓ DWG](#)
- [↓ DXF](#)
- [↓ DXF](#)
- [↓ Energy Label](#)
- [↓ Water Filter Replacement Instructions - Parts 847200 and 847201 \(English\)](#)
- [↓ Installation Guide - Assisted Opening Accessory - Integrated Refrigeration \(English\)](#)
- [↓ Installation Guide \(English\)](#)
- [↓ Planning Guide \(English\)](#)
- [↓ Revit](#)
- [↓ Rhino](#)
- [↓ Rhino - Door and Contemporary Round Handle](#)
- [↓ Rhino - Door and Contemporary Square Handle](#)
- [↓ SketchUp](#)
- [↓ SketchUp - Door and Contemporary Round Handle](#)
- [↓ SketchUp - Door and Contemporary Square Handle](#)
- [↓ User Guide \(English\)](#)

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
**24 Hours 7 Days a Week Customer Support**  
T 0800 372 273 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)

Where applicable: