60cm Series 7 Contemporary Pyrolytic Oven, 11 Function

Series 7 | Contemporary




With beautiful Contemporary styling and generous capacity, this built-in oven helps to ensures that every dish you create is cooked to perfection.

- 85L total capacity with 11 oven functions including Pizza Bake, Roast, Slow Cook and Air Fry
- Moisture level control with ActiveVent technology
- Pyrolytic self-cleaning function breaks down food residue for an easy clean

 Wi-Fi enabled for remote control and notifications through the SmartHQ™ app

DIMENSIONS

| Height | 598 mm |
|--------|--------|
| Width | 596 mm |
| Depth | 565 mm |



FEATURES & BENEFITS

Multi-Function Flexibility

Each function has been perfected to ensure that no matter what you're cooking, you've got the right heat to match. This built-in oven has 11 functions including Pizza Bake, Roast, Slow Cook and Air Fry, allowing you to use a variety of cooking styles.

Generous Capacity

With a generous 85L total capacity, you can create several perfectly cooked dishes at once using multiple shelves.

Exceptional performance

Our unique cooking technologies were developed to deliver perfect results. ActiveVent ensures optimised moisture levels, while AeroTech circulates heat evenly for a consistent temperature.

Self-Cleaning

Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

Design Freedom

Designed to fit seamlessly into your kitchen, this built-in oven features premium materials and detailing to support a cohesive, considered kitchen design.

Safe And Sound

The CoolTouch door features triple glazing and a cooling system that ensures it's safe to touch from the outside – protecting both your hands and the surrounding cabinetry.

SPECIFICATIONS

Accessories (included)

| Chromed shelf runners | |
|----------------------------|------|
| Flat brushed baking tray | |
| Grill rack | 1 se |
| Roasting dish | |
| Step down wire shelf | |
| Telescopic sliding runners | 1 se |
| Wire shelf | |
| | |

QUICK REFERENCE GUIDE > OB60SD11PLX1

| Capacity | | Turned stainless steel dials with illuminated halos | • | Product dimensions | | |
|---------------------------------------|--|---|--------------|---|----------------------------|--|
| Shelf positions | 6 | naios | | Depth | 565 mm | |
| Total capacity | 85 L | | | Height | 598 mm | |
| Usable capacity | 72 L | Functions | | Width | 596 mm | |
| | | Air fry | • | | | |
| Cleaning | | Bake | • | Safety | | |
| Cleaning | | Fan bake | • | Safety | | |
| Acid resistant graphite enamel | • | Fan forced | • | Balanced oven door | • | |
| Pyrolytic self-clean | • | Fan grill | • | Catalytic venting system | • | |
| Removable oven door | • | Grill | • | Control panel key lock | • | |
| Removable oven door inner glass | • | Number of functions | 11 | CoolTouch door | • | |
| Removable shelf runners | • | Pizza bake | • | Non-tip shelves | • | |
| | | Pyrolytic self-clean | • | Safety thermostat | • | |
| | | Roast | • | | | |
| Controls | | Slow cook | | | _ | |
| Adjustable audio and display settings | • | Vent bake | | CIAL | 02565 | |
| Automatic cooking/minute timer | • | vent bake | • | SKU | 82565 | |
| Automatic pre-set temperatures | • | | | | | |
| Celsius/Fahrenheit temperature | • | Performance | | The product dimensions and specifications in this p | page apply to the specific | |
| Certified Sabbath mode | • | | | product and model. Under our policy of continuous | | |
| Delay start | • | ActiveVent™ system | • | dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel | | |
| Electronic clock | • | AeroTech™ technology | • | | | |
| Electronic oven control | • | Automatic rapid pre-heat | • | Appliances Ltd 2020 | | |
| Halogen lights | | Temperature range | 35°C - 280°C | | | |
| | LUC English LIC | Whisper quiet cooking | • | | | |
| Multi-language display | UK English, US English, Simplified | | | Other product downloads available at fishe | erpaykel.com | |
| | Chinese, Français, Español | Power requirements | | | | |
| Smart appliance | • | Amperage | 15 A | | | |
| Soft close doors | • | Supply frequency | 50 Hz | | | |
| True convection oven | • | Supply voltage | 220-240 V | Datasheet Oven | | |
| | | | | ✓ Installation Guide EN✓ Revit Oven | | |
| | | | | 1/CAIT O ACII | | |

QUICK REFERENCE GUIDE > OB60SD11PLX1



Rhino Oven



SketchUp Oven



User Guide (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com