

Series 9, Contemporary Tall Single DishDrawer Dishwasher


Series 9 | Contemporary



- Created with extra height for large dishes and designed to be placed anywhere in your kitchen, for loading dishes with less bending.
- With extra height for taller dishes, and customisable internal shelving
 - Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

Height	478 mm
Width	599 mm
Depth	573 mm



FEATURES & BENEFITS

- Ease Of Use**
- DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.
- Seamless Integration**
- DishDrawer™ Dishwashers can be installed in any kitchen space and are designed to match the Fisher & Paykel family of kitchen appliances, with matching handles, premium styling and quality materials.

- Quick, Sanitize And Extra Dry Options**
- The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.
- Quiet Performer**
- Running at a very low decibel rate, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)	
Cutlery basket	•
Kickstrip	true
Knife clip and multipurpose clip	•

Capacity and loading	
Accommodates round plates up to	310mm
Adjustable height, foldable cupracks	•
Fold down tines	•
Pitch adjustable tines	•
Place settings	7

Consumption	
Energy rating	3.5 star
Energy usage	136kWh/year
In-use energy carbon emissions estimate	12.9kgCO2e/year
Water consumption (per wash cycle)	6.9L

Water rating		4.5 star (WELS)	Depth	573 mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020	
			Height	478 mm		
			Width	599 mm		
<hr/>						
Controls			Wash Program Modifiers			
End of cycle beeps		•	Extra Dry	•	Other product downloads available at fisherpaykel.com	
Energy saving delay start option of up to 12 hours		•	Quick	•		
Internal wash selector		•	Sanitise	•		
Keylock		•	Wash modifiers	3	↓ 2D-DWG Single DishDrawer™ Dishwasher ↓ 2D-DXF Single DishDrawer™ Dishwasher ↓ Data Sheet Single DishDrawer™ Dishwasher ↓ Energy Rating ↓ Installation Guide Single DishDrawer™ Dishwasher ↓ Quick Start Guide (English) ↓ Revit Single DishDrawer™ Dishwasher ↓ Rhino Single DishDrawer™ Dishwasher ↓ Sketchup Single DishDrawer™ Dishwasher ↓ User Guide DishDrawer™ Dishwasher ↓ Wash Program Data ASNZS DishDrawer™ Dishwasher ↓	
Rinse aid indicator light		•				
Smart appliance		•				
<hr/>						
Features			Wash Programs			
Fan assisted drying		•	Delicate	•	Where applicable:	
Flood protection		•	Eco	•		
Flow through detergent dispenser		•	Fast	•		
Quiet operation		•	Heavy	•	All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.	
SmartDrive™ technology		•	Medium	•		
			Rinse	•		
			Wash programs	6	Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.	
<hr/>						
Performance			Water connection			
Noise emissions		42 dBA	Water pressure	30kPa - 1000 kPa		
			Water supply	3/4" BSP (20mm) Connector Water Inlet Hose		
<hr/>						
Power requirements			SKU			
Amperage		5A	82324			
Supply frequency		50Hz				
Supply voltage		220 - 240V				
<hr/>						
Product dimensions						



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 [Wwww.fisherpaykel.com](http://www.fisherpaykel.com)