

76cm Series 11 Integrated Refrigerator Freezer, Ice & Water

Integrated




A slim profile, perfect for compact kitchens, or pair it with other Integrated models for generous chilled and frozen storage.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- Keep food fresher for longer by constantly maintaining the ideal temperature with ActiveSmart™ technology
- Create the perfect climate for each type of food with Variable Temperature Zone: choice of four food modes, Pantry, Fridge, Soft Freeze or Freezer

- Convenient access to fresh, chilled water and ice with internal water dispenser and ice maker

DIMENSIONS

Height	2134 mm
Width	756 mm
Depth	610 mm



FEATURES & BENEFITS

Variable Temperature Zone

Create the perfect climate and store each type of food at optimal temperature and humidity with Variable Temperature Zone, reducing food waste due to spoiling. You have the choice of four food modes: Pantry, Fridge, Soft Freeze or Freezer. Use the Max cold feature for periods of high refrigerator or freezer use, or full grocery loads.

Pantry Mode

Not everything benefits from cold storage. Pantry Mode (11 to 13°C) is the perfect climate to store foods that benefit from a cool, dark place, including bread, many types of fruit, bananas, avocados, tomatoes, nuts, grains and cereals.

Soft Freeze Mode

Soft freeze is for food that requires a gentle freeze and quick thawing, perfect for items that will be consumed soon. It allows easy portioning and the ability to heat, cook or serve straight from the compartment, without waiting for it to thaw.

Internal Water Dispenser And Ice Maker

Both the water dispenser and ice maker are located inside this Integrated model, leaving an uninterrupted exterior that blends in seamlessly with surrounding cabinetry. The slimline water dispenser is flush fit in order to maximise internal storage space, with a temperature-controlled flow and an angled water delivery to capture any drips and spills.

Activesmart™ Foodcare

ActiveSmart™ Foodcare learns how you live. It's technology which understands how you use your refrigerator and adjusts temperature, airflow and humidity inside to help keep food fresher for longer.

Complementary Design

Both the 61cm and 76.2cm Integrated Refrigerator Freezers can be installed separately or paired with a Column Refrigerator, Freezer or Wine Column. Customise with your own kitchen cabinetry and handles, or purchase our stainless steel door panel and handle options.

Design Quality

The premium design and finish includes a steel interior lining as well as full extension metal shelf runners for easy access, robust glass shelving and quality hinges designed for daily use.

Clever Energy

With a 3.5 star rating, your refrigerator adapts to daily use by cooling and defrosting only when needed. This means it uses the energy it needs without compromising on food care.

SPECIFICATIONS

Accessories (sold separately)

Door panel stainless steel Left hinge 762mm	RD7621WLD
Door panel stainless steel Right hinge 762mm	RD7621WRD
Handle kit Classic	AHCLRD7621W
Handle kit Contemporary round, aluminium	AHSRD7621W
Handle kit Contemporary square fine, aluminium	AHD5RD7621W
Handle kit Contemporary square fine, black	AHD5RD7621WB
Handle kit Professional round flush	AHP3RD7621W
Joiner kit	AJ-RS21LR
Toe kick stainless steel 1372mm	AKRS13710
Toe kick stainless steel 1524mm	AKRS15210
Toe kick stainless steel 1981mm	AKRS19810
Toe kick stainless steel 2134mm	AKRS21310
Toe kick stainless steel 762mm	AKRS7610
Water filter replacement	847200 - FWC3

Capacity

Total gross capacity	482 L
Volume	449 L
Volume freezer	151 L
Volume refrigerator	298 L

Consumption

Energy rating	3.5 star	Performance
Energy usage	323kWh/year	ActiveSmart™ Foodcare
In-use energy carbon emissions estimate	30.7kgCO2e/year	Adaptive defrost
		Dual evaporator
		Frost free freezer
		Humidity control system
		Inverter controlled compressor
		Sabbath mode
		Variable food modes
		Pantry; Fridge; Soft freeze; Freezer
		Variable temperature zones
		2
		Power requirements
		Rated current 10 A
		Supply frequency 50 Hz
		Supply voltage 230 V
		Product dimensions
		Depth 610 mm
		Height 2134 mm
		Width 756 mm
		SKU 25690

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [!\[\]\(aca6fcc8bd95e8255b9ea1b1d08ef300_img.jpg\) DWG](#)
- [!\[\]\(0083087c61cec498ac803a4aec5bb1bd_img.jpg\) DXF](#)
- [!\[\]\(2e94242fda9f31152eb2b29146bfce46_img.jpg\) DXF](#)
- [!\[\]\(680c68b4e62fe5ec9774c1168e904fbf_img.jpg\) Energy Label](#)
- [!\[\]\(0012cbbec5c5a1cf6c111135ad58ebc0_img.jpg\) Water Filter Replacement Instructions - Parts 847200 and 847201 \(English\)](#)
- [!\[\]\(87f26857125315836dd413b717a8c1ec_img.jpg\) Installation Guide - Assisted Opening Accessory - Integrated Refrigeration \(English\)](#)
- [!\[\]\(615ec7e7e0f3dea1f20d356589f114f8_img.jpg\) Installation Guide - Toe Kick \(English\)](#)
- [!\[\]\(4de969360fdb54eeda9f21a7a7358827_img.jpg\) Installation Guide \(English\)](#)
- [!\[\]\(a2a9cf2d53e65666524c478455611427_img.jpg\) Planning Guide - Assisted Opening Accessory \(English\)](#)
- [!\[\]\(625065e18fcf2a70e8b9353eff469f16_img.jpg\) Planning Guide \(English\)](#)
- [!\[\]\(7350d93709b93230905dae80a2cce8d7_img.jpg\) Revit](#)
- [!\[\]\(c27dbf1b9c12f35a291530782bfc3819_img.jpg\) Rhino](#)
- [!\[\]\(65f8038c86ddbc0f86546ddc85ffbb97_img.jpg\) Rhino Appliance with Door and Contemporary Round Handle](#)
- [!\[\]\(66809a365ea12940db3cb7167d7b5e26_img.jpg\) Rhino Appliance with Door and Contemporary Square Fine Black Handle](#)
- [!\[\]\(ff2d0c13ae9c8e54591d65819d381e21_img.jpg\) Rhino Appliance with Door and Contemporary Square Fine Handle](#)
- [!\[\]\(31f12604cc98f0f3bb84cb110c004eb5_img.jpg\) Rhino Appliance with Door and Contemporary Square Handle](#)
- [!\[\]\(6171adcc9e818b208ffd887ae0c24060_img.jpg\) SketchUp](#)
- [!\[\]\(97c340c8df0fc519f361a19d217f3047_img.jpg\) SketchUp Appliance with Door and Contemporary Round Handle](#)
- [!\[\]\(ce376e431559daf6f53dce8de823d6b0_img.jpg\) SketchUp Appliance with Door and Contemporary Square Fine Black Handle](#)
- [!\[\]\(35de55c59e42dbe9f03adad9344ececb_img.jpg\) SketchUp Appliance with Door and Contemporary Square Fine Handle](#)
- [!\[\]\(ef8bce8b2a74deecef541a2d66434157_img.jpg\) SketchUp Appliance with Door and Contemporary Square Handle](#)

 [User Guide \(English\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy**

Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 0800 372 273 www.fisherpaykel.com