QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 21.10.2025 > 1

61cm Series 11 Integrated Column Freezer, Ice


Series 11 | Integrated



Install it separately or pair with another Column for true design freedom - this model is left hinge with stainless steel interior.

- ActiveSmart[™] technology helps keep food fresher for longer by constantly maintaining the ideal temperature.
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost for busy times
- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

DIMENSIONS

Joiner kit	AJ-RS21LR	In-use energy carbon emissions estimate	42.9kgCO2e/year	ActiveSmart™ Foodcare	•
				Adaptive defrost	•
				Dual evaporator	•
Accessories (sold separately)		Features		Frost free	•
Door panel stainless steel Left hinge 610mm	RD6121L10D	Adjustable door shelves	4	Frost free freezer	•
Door panel stainless steel Right hinge 610mm	RD6121R10D	Adjustable glass cantilevered shelves	•	Inverter controlled compressor	•
Handle kit Classic	AHCLRDSF	Adjustable glass shelves	4	Noise emissions	42 dBA
Handle kit Contemporary round, aluminium	AHSRDSF	Adjustable half width door shelves	3	Noise emissions class	D
Handle kit Contemporary square fine,	AHD5RDSF	Front levelling feet	•	Sabbath mode	•
aluminium	ANDSKOSF	Smart appliance	•	Variable temperature zones	2
Handle kit Contemporary square fine, black	AHD5RDSFB				
Handle kit Professional round flush	AHP3RDSF	For any Franking		Danier versiners auto	
Joiner kit	AJ-RS21LR	Freezer Features		Power requirements	
Toe kick stainless steel 1220mm	AKR\$12210	Automatic ice maker	•	Rated current	10 A
Toe kick stainless steel 1372mm	AKR\$13710	Bottle chill	•	Supply frequency	50 Hz
Toe kick stainless steel 1828mm	AKRS18310	Door alarm	•	Supply voltage	230 - 240 V
Toe kick stainless steel 1981mm	AKRS19810	Fast freeze	•		
Toe kick stainless steel 610mm	AKRS06110	Freezer bins	4		
Water filter replacement	847200 - FWC3	Ice Boost	•	Product dimensions	
		LED bin lighting	•	Depth	610 mm
		LED ceiling lighting	•	Height	2134 mm
Capacity		LED side lighting	•	Width	603 mm
Total gross capacity	368 L	SmartTouch interface at counter height	•		
Volume	336 L			Due du at information	
Volume freezer	336 L	In the Habitan Discounting		Product information	
Volume variable temperature compartment	295 L	Installation Dimensions		Packaged weight	137 kg
		Minimum inside width of cabinetry frame	610 mm	Unpackaged weight	117 kg
		Minimum internal depth of cabinetry	635 mm		
Consumption		Minimum internal height of cabinetry	2134 mm		
Energy rating	2.5 star			SKU	26159
Energy usage	452kWh/year				

QUICK REFERENCE GUIDE > RS6121FLJK1 Date: 21.10.2025 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- ↓ DWG K05 Hinge
- ↓ 2D-DWG Integrated Column Freezer
- ↓ DXF K05 Hinge
- ↓ 2D-DXF Integrated Column Freezer
- ↓ Energy Rating
- Water Filter Replacement Instructions Parts 847200 and 847201 (English)
- Installation Guide Assisted Opening Accessory Integrated Refrigeration (English)
- Installation Guide Integrated Column Refrigerator
- ↓ Planning Guide (English)
- ↓ Revit
- Rhino
- Rhino Appliance with Door Panel and Contemporary Round
- Rhino Appliance with Door Panel and Contemporary Square Handle
- ↓ SketchUp
- SketchUp Appliance with Door Panel and Contemporary Round Handle
- SketchUp Appliance with Door Panel and Contemporary Square Handle
- ↓ User Guide Integrated Refrigerator Freezer EN

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com