QUICK REFERENCE GUIDE > OR90SCG6X1

# 90cm Series 9 Classic 5 Burner Dual Fuel Pyrolytic Cooker

Series 9 | Classic



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.


- · Five burner gas cooktop with three wok burners
- Convection oven with 140L capacity and nine oven functions plus rotisserie including Pastry Bake with pizza mode
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean that breaks down food residue for an easy clean

## **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



## **FEATURES & BENEFITS**

### **Multi-Shelf Cooking**

Our AeroTech<sup> $\mathsf{TM}$ </sup> system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

## **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop trivets and glowing halo dials all add up to an exceptional, premium range.

## **Easy Cleaning**

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

#### Burner Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

### **Even Heat**

Accurate, electronically-controlled oven heat ensures a great result every time.

## **SPECIFICATIONS**

### Accessories (included)

Flat wire shelf	•
Full extension sliding shelves	2 sets (par 578744)
Full extension telescopic shelves	2 sets (par 578744)
Grill rack	TRUE
Roasting dish	
Rotisserie set	1 se
Small pot support	1 (part 53398 cast
Step down wire shelf	•

## Accessories (sold separately)

Kick strip, black (optional)	KICKOR90B
Kick strip, red (optional)	KICKOR90R

Kick strip, stainless steel (optional)	KICKOR90X1	Audio feedback	•	Fan forced	•
Kick strip, white (optional)	KICKOR90W1	Automatic cooking/minute timer	•	Fan grill	•
		Automatic pre-set temperatures	•	Grill	•
		Celsius/Fahrenheit temperature	•	Number of functions	9
Burner ratings		Electronic clock	•	Pastry Bake with Pizza mode	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	High resolution display	•	Rapid proof	•
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Laser etched graphics	•	Roast	•
Maximum burner power	16.2MJ/h	Precise electronic temperature control	•	Rotisserie	•
Semi-rapid burner (LPG) x2	5.8MJ/h	Sabbath mode	•	True convection	•
Semi-rapid burner (natural gas) x2	6.5MJ/h	Turned stainless steel clock buttons	•		
Total cooktop power	58.0MJ/h	Turned stainless steel clock crown (dial)	•		
Triple ring wok burner (LPG) x2	14.4MJ/h			Oven performance	
Triple ring wok burner (natural gas) x2	14.4MJ/h			CoolTouch door	Quadruple glazed
		Installation Dimensions		Warming drawer power	202 W
		Installation cutout dimensions (Depth)	600 mm		
Capacity		Installation cutout dimensions (Width)	900 mm		
Shelf positions (main oven)	6			Power requirements	
Total capacity	140 L			Amperage	23 A
Usable capacity (main oven)	120 L	Oven features		Supply frequency	50 Hz
		AeroTech™ technology	•	Supply voltage	220 - 240 V
		Automatic rapid pre-heat	•		
Cleaning		Bright chromed, cast zinc dials with	•		
Acid resistant graphite enamel	•	illuminated halos		Product dimensions	
Drop down grill element	•	Electronic oven control	•	Depth	600 mm
Pyrolytic proof shelf runners	•	Soft open/close door	•	Height	898 - 946 mm
Pyrolytic self-clean	•	Twin cavity fans	•	Width	897 mm
Removable oven door	•	Warming drawer	•		
Removable oven door inner glass	•				
Removable shelf runners	•	Oven functions		Rangetop features	
				Brass burner spreader (power burne	er) •
		Bake	•	Embossed brass burner cap (power burner) •	
Controls		Fan bake	•		

QUICK REFERENCE GUIDE > OR90SCG6X1 Date: 15.09.2025 > 3

Hob rail	•
Hob rear trim	60 mm
LPG / Natural Gas compatible	•
Sealed range top	•

## Safety

Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	26 L

SKU 81688

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com



Installation Guide



Installation Guide - Kick Strip



**Revit Freestanding Cooker** 



### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com