QUICK REFERENCE GUIDE > DD60STI9

# Series 9, Integrated Tall Single DishDrawer Dishwasher

Series 9 | Integrated




Integrating into your kitchen design seamlessly, with extra height for larger dishes in the tall top drawer.\*

- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- With extra height for taller dishes, and customisable internal shelving
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

### **DIMENSIONS**

Height	454 mm
Width	599 mm
Depth	553 mm



#### **FEATURES & BENEFITS**

#### Ease Of Use

 $\label{linear_poisson} \mbox{DishNawer$^{\tiny{TM}}$ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.}$ 

### Quick, Sanitise and Extra Dry options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection, killing 99.9% of bacteria\* in the final rinse. The Extra Dry setting is perfect for plastic dishes. \*Certified to NSF/ANSI Standard 184

# Knock to pause

Instead of needing a remote control, these DishDrawer $^{\text{TM}}$  Dishwashers have a knock to pause function. A knock on the front panel will pause the dishwasher which can be re-started again by using the start/play button.

#### **Quiet Performer**

Running at a very low decibel rate, these DishDrawer™
Dishwashers do their job without making a fuss. The
combination of intelligent technology and simple mechanics
means greater reliability and excellent wash performance.

#### **SPECIFICATIONS**

#### Accessories (included)

Cutlery basket

Knife clip and multipurpose clip

•

# Accessories (sold separately)

Door panel black stainless steel	ADDD60STPB
Door panel recessed handle black stainless steel	ADDD60STNB
Door panel recessed handle matte black glass	ADDD60STZB
Door panel recessed handle stainless steel	ADDD60STNX
Door panel stainless steel	ADDD60STPX
Handle kit Contemporary round, aluminium	AHS-OBDD-60S
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX

QUICK REFERENCE GUIDE > DD60STI9 Date: 18.11.2025 > 2

Handle kit Contemporary square fine, black	AHD5- OBDD-60SB	Rinse aid indicator light	•	Sanitise	
Handle kit Contemporary square, aluminiun	∩AHD3-OBDD-60S	Smart appliance	•	Wash modifiers	3
Handle kit Contemporary square, black	AHD3-OBDD-60B				
Handle kit Professional round flush	AHP3-DWDD-60S	Features		Wash Programs	
		Fan assisted drying	•	Delicate	•
Capacity and loading		Flood protection	•	Eco	•
		Flow through detergent dispenser	•	Fast	•
Accommodates round plates up to	310mm	Quiet operation	•	Heavy	•
Adjustable height, foldable cupracks	•	SmartDrive™ technology	•	Medium	•
Fold down tines	•	-		Rinse	•
Pitch adjustable tines	•	-		Wash programs	6
Place settings	7	Performance		wash programs	v
Place settings	7	Noise emissions	43 dBA		_
Consumption		Power requirements		Water pressure	30kPa - 1000 kPa
Energy rating	3.5 star	r ower requirements		Water supply	3/4" BSP (20mm) Connector Water
Energy usage	136kWh/year	Amperage	5A		Inlet Hose
In-use energy carbon emissions estimate	12.9kgCO2e/year	Supply frequency	50Hz		
Water consumption (per wash cycle)	6.9L	Supply voltage	220 - 240V		
Water rating	4.5 star (WELS)			SKU	82320
		Product dimensions		S.K.G	02020
Combusia		Depth	553 mm	The product dimensions and specifical	ions in this page apply to the specific
Controls		Height	454 mm	The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel	
Electronic fault/Diagnostic indicator	•	Width	599 mm		
End of cycle beeps	•				
Energy saving delay start option of up to 12 hours	•			Appliances Ltd 2020	-
Internal wash selector	•	Wash Program Modifiers			
Keylock	•	Extra Dry	•	Other product downloads availal	ole at fisherpaykel.com
Knock to pause	•	Quick	•		

QUICK REFERENCE GUIDE > DD60STI9 Date: 18.11.2025 > 3

DWG

**↓** DXF

Care & Maintenance Guide (English)

↓ Data Sheet (English)

↓ Energy Label

Energy Label

↓ First Use Guide (English)

↓ Installation Guide (English)

↓ Planning Guide (English)

↓ Quick Start Guide (English)

**↓** Revit

**↓** Rhino

Safety & Warnings (English)

↓ SketchUp

↓ User Guide (English)

↓ Wash Program Data (English)

↓ Installation Video

#### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.

