Integrated Column Freezer, 61cm, Ice


Integrated



Install it separately or pair with another Column for true design freedom – this model is right hinge with stainless steel interior.

DIMENSIONS

Height	**2134 mm**
Width	**603 mm**
Depth	**610 mm**



SPECIFICATIONS

Accessories (included)

Joiner kit	**AJ-RS21LR**

Accessories (sold separately)

Door panel stainless steel Left hinge 610mm	**RD6121L10D**
Door panel stainless steel Right hinge 610mm	**RD6121R10D**
Handle kit Classic	**AHCLRDSF**
Handle kit Contemporary round, aluminium	**AHSRDSF**
Handle kit Contemporary square fine, aluminium	**AHD5RDSF**
Handle kit Contemporary square fine, black	**AHD5RDSFB**
Handle kit Professional round flush	**AHP3RDSF**
Joiner Kit	**AJ-RS21LR**
Toe kick stainless steel 1220mm	**AKRS12210**
Toe kick stainless steel 1372mm	**AKRS13710**
Toe kick stainless steel 1828mm	**AKRS18310**
Toe kick stainless steel 1981mm	**AKRS19810**
Toe kick stainless steel 610mm	**AKRS06110**
Water filter replacement	**847200 - FWC3**

Capacity

Total gross capacity	**368 L**
Volume	**336 L**
Volume freezer	**336 L**
Volume variable temperature compartment	**295 L**

Connected Features

Alerts and notifications	•
Education and onboarding	•
Remote operation	•
Software updates	•

Consumption

Energy rating	**F**
Energy usage	**343kWh/year**
In-use energy carbon emissions estimate	**98.1kgCO2e/year**

Features

Adjustable door shelves	**4**
Adjustable glass cantilevered shelves	•

Adjustable glass shelves	4
Adjustable half width door shelves	3
Front levelling feet	•
Smart appliance	•

Freezer Features

Automatic ice maker	•
Bottle chill	•
Door alarm	•
Fast freeze	•
Freezer bins	4
Ice Boost	•
LED bin lighting	•
LED ceiling lighting	•
LED side lighting	•
SmartTouch interface at counter height	•

Installation Dimensions

Minimum inside width of cabinetry frame	**610 mm**
Minimum internal depth of cabinetry	**635 mm**
Minimum internal height of cabinetry	**2134 mm**

Performance

ActiveSmart™ Foodcare	•
Adaptive defrost	•
Dual evaporator	•
Frost free	•
Frost free freezer	•
Inverter controlled compressor	•
Noise emissions	**42 dBA**
Noise emissions class	**D**
Sabbath mode	•
Variable temperature zones	**2**

Power requirements

Rated current	**10 A**
Supply frequency	**50 Hz**
Supply voltage	**230 - 240 V**

Product dimensions

Depth	**610 mm**
Height	**2134 mm**
Width	**603 mm**

Product information

Packaged weight	**137 kg**
Unpackaged weight	**117 kg**

SKU	25638

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- DWG
- DWG
- DWG
- DXF
- DXF
- DXF
- Energy Label
- Installation Guide (English)
- Installation Guide - Toe Kick (English)
- Installation Guide (English)
- Revit
- Rhino
- Rhino - Door and Contemporary Round Handle
- Rhino - Door and Contemporary Square Handle
- SketchUp
- SketchUp - Door and Contemporary Round Handle
- SketchUp - Door and Contemporary Square Handle

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1800 625174 **W**www.fisherpaykel.com