

46cm Series 11 Integrated Column Freezer, Ice

Integrated




Install it separately or pair with another Column for true design freedom – this model is left hinge with stainless steel interior.*

- Customise with your own kitchen cabinetry or purchase our stainless steel door panel accessory
- ActiveSmart™ technology helps keep food fresher for longer by constantly maintaining the ideal temperature
- Variable Temperature Zone lets you change a compartment to Freeze, Soft Freeze or Deep Freeze for optimal storage
- Internal ice maker with boost feature for busy times

DIMENSIONS

Height	2134 mm
Width	451 mm
Depth	610 mm



FEATURES & BENEFITS

Variable Temperature Zones

There's more than one way to freeze food, and different freezing temperatures and techniques affect food care – and your levels of convenience – in different ways. Optimal freezing is a question of what you're storing, how fresh it is, and when you plan to consume it. Change a compartment to Soft Freeze to enjoy maximum everyday convenience, or to Freeze Mode or Deep Freeze Mode to retain natural goodness for future use.

DEEP FREEZE MODE

Deep freezing (-25°C) allows food to be stored for months or even years with temperatures that halt bacterial activity. Freezing food quickly is the key to protecting quality and retaining nutrients, so they are not lost when defrosting.

Mix & match

Integrated Column Refrigeration gives you the freedom to mix and match. Different sized Column Fridges and Freezers can be installed separately or paired. Finish them with our stainless steel door panels or customise to match your own kitchen cabinetry.

Clever Energy

Our ActiveSmart™ Foodcare Refrigerator Freezers adapt to daily use by cooling and defrosting only when needed. This means your refrigerator uses the energy it needs without compromising on food care.

Appealing Illumination

Bright LEDs light up each ceiling, shelves, bins and trays in both refrigerator and freezer, making it easy to find your food and creating a welcoming glow in your kitchen for those midnight snacks.

Design Quality

The premium design and quality finish includes a steel interior lining as well as full-extension metal shelf runners for easy access, and robust glass shelving.

Easy Install

Integrated Column Refrigerators and Freezers have been developed to make their installation easy. The joiner kit is included when pairing refrigerators and freezers. All models come with front adjustable levelling feet and they've been designed to easily slide into place as separate units.

SPECIFICATIONS

Accessories (included)

Joiner kit	AJ-RS21LR	Features	Dual evaporator	•
Accessories (sold separately)			Adjustable door shelves	4
Door panel stainless steel Left hinge 457mm	RD4621L10D	Adjustable glass cantilevered shelves	•	•
Door panel stainless steel Right hinge 457mm	RD4621R10D	Adjustable glass shelves	3	•
Handle kit Classic	AHCLRDSF	Smart appliance	•	Inverter controlled compressor
Handle kit Contemporary round, aluminium	AHSRDSF	SmartTouch interface at counter height	•	•
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Water Filter	847200	Noise emissions
Handle kit Contemporary square fine, black	AHD5RDSFB			42 dBA
Handle kit Professional round flush	AHP3RDSF			D
Joiner kit	AJ-RS21LR			•
Toe kick stainless steel 1067mm	AKRS10710	Automatic ice maker	•	Variable food modes
Toe kick stainless steel 1220mm	AKRS12210	Bottle chill	•	Soft freeze; Freeze; Deep Freeze
Toe kick stainless steel 1676mm	AKRS16810	Door alarm	•	
Toe kick stainless steel 1828mm	AKRS18310	Fast freeze	•	Variable temperature zones
Toe kick stainless steel 457mm	AKRS04610	Freezer bins	4	2
Water filter replacement	847200 - FWC3	Ice Boost	•	
Capacity		LED bin lighting	•	
Total gross capacity	242 L	LED ceiling lighting	•	
Volume	220 L	LED side lighting	•	
Volume freezer	220 L	SmartTouch interface at counter height	•	
Consumption				
Energy rating	2.5 star	Installation Dimensions		
Energy usage	314 kWh/year	Minimum inside width of cabinetry frame	457 mm	
In-use energy carbon emissions estimate	29.8kgCO2e/year	Minimum internal depth of cabinetry	635 mm	
		Minimum internal height of cabinetry	2134 mm	
		Performance		
		ActiveSmart™ Foodcare	•	Product information
		Adaptive defrost	•	
				Packaged weight
				118 kg
				Unpackaged weight
				100 kg
				SKU
				26155

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- [!\[\]\(aca6fcc8bd95e8255b9ea1b1d08ef300_img.jpg\) DWG](#)
- [!\[\]\(0083087c61cec498ac803a4aec5bb1bd_img.jpg\) DWG](#)
- [!\[\]\(2e94242fda9f31152eb2b29146bfce46_img.jpg\) DWG](#)
- [!\[\]\(680c68b4e62fe5ec9774c1168e904fbf_img.jpg\) DWG](#)
- [!\[\]\(0012cbbec5c5a1cf6c111135ad58ebc0_img.jpg\) DWG](#)
- [!\[\]\(87f26857125315836dd413b717a8c1ec_img.jpg\) DXF](#)
- [!\[\]\(615ec7e7e0f3dea1f20d356589f114f8_img.jpg\) DXF](#)
- [!\[\]\(4de969360fdb54eeda9f21a7a7358827_img.jpg\) DXF](#)
- [!\[\]\(a2a9cf2d53e65666524c478455611427_img.jpg\) DXF](#)
- [!\[\]\(625065e18fcf2a70e8b9353eff469f16_img.jpg\) DXF](#)
- [!\[\]\(7350d93709b93230905dae80a2cce8d7_img.jpg\) DXF](#)
- [!\[\]\(c27dbf1b9c12f35a291530782bfc3819_img.jpg\) Energy Label](#)
- [!\[\]\(65f8038c86ddbc0f86546ddc85ffbb97_img.jpg\) Water Filter Replacement Instructions - Parts 847200 and 847201 \(English\)](#)
- [!\[\]\(66809a365ea12940db3cb7167d7b5e26_img.jpg\) Installation Guide - Toe Kick \(English\)](#)
- [!\[\]\(ff2d0c13ae9c8e54591d65819d381e21_img.jpg\) Installation Guide \(English\)](#)
- [!\[\]\(31f12604cc98f0f3bb84cb110c004eb5_img.jpg\) Planning Guide \(English\)](#)
- [!\[\]\(6171adcc9e818b208ffd887ae0c24060_img.jpg\) Revit](#)
- [!\[\]\(97c340c8df0fc519f361a19d217f3047_img.jpg\) Rhino](#)
- [!\[\]\(ce376e431559daf6f53dce8de823d6b0_img.jpg\) Rhino Appliance with Door and Contemporary Round Handle](#)
- [!\[\]\(35de55c59e42dbe9f03adad9344ececb_img.jpg\) Rhino Appliance with Door and Contemporary Square Handle](#)
- [!\[\]\(ef8bce8b2a74deecef541a2d66434157_img.jpg\) SketchUp](#)
- [!\[\]\(56fea2ef894da341e77ce6d74d3f155f_img.jpg\) SketchUp Appliance with Door and Contemporary Round Handle](#)
- [!\[\]\(f484f92c725c51adfd20144739a28e19_img.jpg\) SketchUp Appliance with Door and Contemporary Square Handle](#)
- [!\[\]\(1dc4823b0618d3855a0d4b39373aca83_img.jpg\) User Guide \(English\)](#)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy**

Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support
T 0800 372 273 www.fisherpaykel.com