QUICK REFERENCE GUIDE > DD60DI9

Series 9, Integrated Double DishDrawer Dishwasher

Series 9 | Integrated



Integrating into your kitchen design seamlessly, each drawer fits a half load that you can load and wash independently.*


- Customise with your own front panel and handle to match your kitchen cabinetry
- · Knock to pause function is perfect if you miss a dish
- Six wash programs, as well as additional Quick wash, Sanitise and Extra Dry options

DIMENSIONS

 Height
 820 - 880 mm

 Width
 599 mm

 Depth
 571 mm



FEATURES & BENEFITS

Ease Of Use

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending. Flexible racking allows you to make adjustments to fit in a variety of dishes.

Independent Wash

With the ability to use both drawers independently and select different wash programs, the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.

True Half Load

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.

Quick, Sanitise And Extra Dry Options

The Quick wash modifier delivers a faster wash while maintaining performance. The Sanitise option provides extra protection killing 99.9% of bacteria in the final rinse. The Extra Dry setting is perfect for plastic dishes.

Knock To Pause

These DishDrawer $^{\text{TM}}$ Dishwashers have a knock to pause function – a knock on the front panel will pause the dishwasher.

Quiet Performer

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Accessories (included)

Cutlery basket

Kickstrip

true

Knife clip and multipurpose clip

•

Accessories (sold separately)

Door panel black stainless steel ADDD60DPB

Door panel recessed handle black stainless steel

Door panel recessed handle matte black ADDD60STZB glass

Door panel recessed handle stainless steel	ADDD60STNX	End of cycle beeps	•	Width	599 mm
Door panel stainless steel	ADDD60DPX	Energy saving delay start option of up to 12	•		
Handle kit Contemporary round, aluminiun	n AHS-OBDD-60S	hours			
Handle kit Contemporary square fine, aluminium	AHD5- OBDD-60SX	Internal wash selector Keylock	•	Wash Program Modifiers	
Handle kit Contemporary square fine, blac	k AHD5-	Knock to pause	•	Extra Dry	•
	OBDD-60SB	Rinse aid indicator light	•	Quick	•
Handle kit Contemporary square, aluminium AHD3-OBDD-60S		Smart appliance	•	Sanitise	•
Handle kit Contemporary square, black	AHD3-OBDD-60B			Wash modifiers	3
Handle kit Professional round flush	AHP3-DWDD-60S				
		Features		Wash Programs	
Capacity and loading		Fan assisted drying	•	Delicate	
		Flood protection	•	Eco	•
Accommodates round plates up to	280mm	Flow through detergent dispenser	•		•
Adjustable height, foldable cupracks	•	Motor type	BLDC	Fast	•
Fold down tines	•	Quiet operation	•	Heavy	•
Pitch adjustable tines	•	SmartDrive™ technology	•	Medium	•
Place settings	14	omare teemiology		Rinse	•
Place settings	14			Wash programs	6
Place settings per drawer	7	Performance			
		Noise on standard cycle top drawer	43 dBA	Water connection	
Consumption				Water pressure	30kPa - 1000 kPa
Energy rating	3.5 star	Power requirements		Water supply	3/4" BSP (20mm) Connector Water
Energy usage	136kWh/year per drawer	Amperage	10A		Inlet Hose
In-use energy carbon emissions estimate	12.9kgCO2e/year	Supply frequency	50Hz		
	per drawer	Supply voltage	220 - 240V		
Water consumption (per wash cycle)	6.9L per drawer			SKU	82319
Water rating	4.5 star (WELS)				
		Product dimensions			
Controls		Depth	571 mm		
		Height	820 - 880 mm		

QUICK REFERENCE GUIDE > DD60DI9 Date: 13.10.2025 > 3

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

2D-DWG Integrated Double DishDrawer™ Dishwasher

2D-DXF Integrated Double DishDrawer™ Dishwasher

↓ Care & Maintenance Guide (English)

Energy Rating

↓ First Use Guide (English)

↓ Installation Guide Double DishDrawer™ Dishwasher

Planning Guide (English)

↓ Quick Start Guide

Rhino

↓ SketchUp

User Guide Integrated DishDrawer™ Dishwasher

Wash Program Data ASNZS DishDrawer™ Dishwasher

Wash Program Data DishDrawer™ Dishwasher

1

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com