QUICK REFERENCE GUIDE > OR90SCG2X1 Date: 15.09.2025 > 1

# 90cm Series 7 Classic 5 Burner Dual Fuel Cooker

Series 7 | Classic



Get the best of both worlds with dual fuel. A gas cooktop with wok burner is paired with a nine-function convection oven.


- · Five burner gas cooktop, with precise heat control
- Convection oven with 140L total capacity and nine oven functions including Pastry Bake and Rapid Proof
- Optional non-tip full-extension shelves for safe removal of hot dishes

# **DIMENSIONS**

 Height
 898 - 946 mm

 Width
 897 mm

 Depth
 600 mm



#### **FEATURES & BENEFITS**

## **Multi-Shelf Cooking**

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfectly as food cooking on the bottom shelf.

#### **Quality And Durability**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door and durable cooktop trivets all add up to an exceptional, premium range.

#### **Burner Power & Control**

Instant and immediate control from the highest to the gentlest heat. The finely tuned cooktop controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

#### Easy To Clean

Your cooktop simply needs a quick wipe to keep it looking good as new for years to come, as the gas cooktop is made from a single piece of stainless steel that contains spills. The oven door, its inner pane of glass and runners can also be removed for easy cleaning.

#### **Even Heat**

Accurate, electronically-controlled oven heat ensures a great result every time.

## **SPECIFICATIONS**

#### Accessories (included)

Chromed shelf runners	1 set
Flat wire shelf	1
Roasting dish	1
Small pot support	1 (part 533981 cast)
Step down wire shelf	

# Accessories (sold separately)

Full extension sliding shelves	Optional (part 578744)
Full extension telescopic shelves	Optional (part 578744)
Kick strip, stainless steel (optional)	KICKOR90X1

Burner ratings		Celsius/Fahrenheit temperature	•	Pastry Bake with Pizza mode	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	Electronic clock	•	Rapid proof	•
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Laser etched graphics	•	Roast	•
Maximum burner power	16.2MJ/h	Precise electronic temperature control	•	True convection	•
Semi-rapid burner (natural gas)	5.8MJ/h	Sabbath mode	•		
Semi-rapid burner (natural gas) x2	6.5MJ/h	Turned stainless steel clock buttons	•		
Total cooktop power	58.0MJ/h			Oven performance	
Triple ring wok burner (LPG) x2	14.4MJ/h			CoolTouch door	Triple glazed
Triple ring wok burner (natural gas) x2	14.4MJ/h	Installation Dimensions			
		Installation cutout dimensions (Depth)	600 mm		
		Installation cutout dimensions (Width)	900 mm	Power requirements	
Capacity				Amperage	22 A
Shelf positions	6			Supply frequency	50 Hz
Shelf positions (main oven)	6	Oven features		Supply voltage	220 - 240 V
Total capacity	140 L	AeroTech™ technology	•		
Usable capacity	121 L	Automatic rapid pre-heat	•		
Usable capacity (main oven)	121 L	Bright chromed, cast zinc dials with illuminated halos	•	Product dimensions	
		Electronic oven control	•	Depth	600 mm
		Storage compartment	•	Height	898 - 946 mm
Cleaning		True convection	•	Width	897 mm
Acid resistant graphite enamel	•	Twin cavity fans	•		
Drop down grill element	•			Rangetop features	
Removable oven door	•		_		
Removable oven door inner glass	•	Oven functions		Hob rail	•
Removable shelf runners	•	Bake	•	Hob rear trim	60 mm
		Classic bake	•	LPG / Natural Gas compatible	•
		Fan bake	•	Sealed range top	•
Controls		Fan forced	•		
Audio feedback	•	Fan grill	•	Safety	
Automatic cooking/minute timer	•	Grill	•	•	
Automatic pre-set temperatures	•	Number of functions	9	Advanced cooling system	•

QUICK REFERENCE GUIDE > OR90SCG2X1 Date: 15.09.2025 > 3

Anti-tilt bracket	•
Balanced oven door	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic shelves	Optional (part 578744)
Non-tip shelves	•
Spill containment	26 L

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

#### Other product downloads available at fisherpaykel.com

↓ Installation Guide

SKU

Installation Guide - Kick Strip

Revit Dual Fuel Cooker

Rhino Dual Fuel Cooker

Sketchup Dual Fuel Cooker

User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



81680

# A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com