

# 10kg Series 11 Minimal Heat Pump Dryer, Woolmark Blue



The ultimate Heat Pump Dryer, where refined design meets intelligent precision. Adaptive sensing, a streamlined interface, and thoughtful detailing deliver care that's perfectly tailored to every fibre.

- Ultimate care for 15 fibre types, including Cashmere and Lyocell
- Full-glass design with vibrant 7" touchscreen for intuitive cycle selection
- 3D Active Sense detects moisture deep into the load, even in bulky items or large loads
- Intelligent Temperature System maintains controlled, low temperatures for perfectly precise drying
- Connect SmartHQ™ for notifications, guides and extra functions

## DIMENSIONS

Height	850 mm
Width	602 mm
Depth	695 mm

## FEATURES & BENEFITS

### OPTIMAL CARE FOR LUXURY FIBRES

Fisher & Paykel Series 11 Dryers are the pinnacle of Fabric Care, with intelligent drying that responds to the unique needs of every fibre. Finely tuned cycles care for synthetic fabrics like Nylon and Elastane plus natural fibres like Linen and Hemp, each dried at the temperature and rhythm best suited to their molecular structure and properties. Guided by the vibrant 7" touchscreen, advanced sensors and Heat Pump technology work in harmony to preserve softness, shape and quality with precision.

### ULTIMATE FABRIC CARE SOLUTIONS

Simple yet striking, our Minimal Fabric Care appliances have been distilled into a unified aesthetic. Precision-machined glass, a 7" touchscreen, extruded aluminium handles, and a tonal palette creates a refined look that blends seamlessly into cabinetry. Designed to complement one another in both form and function, our Front Loader Washer, Display-Free Heat Pump Dryer, and Fabric Care Cabinet bring visual harmony to the home, for fabric care that is as beautiful as it is functional.

### INTELLIGENT HEAT PUMP TECHNOLOGY

Our Intelligent Temperature System with Heat Pump Technology provides gentle care for Cashmere, with delicate keratin fibres sensitive to heat and mechanical stress. Too delicate to tumble, our Folding Dry Rack and low-temperature drying at precisely 55°C protects the delicate fibre's structure, preserving Cashmere's softness, lightweight warmth and natural drape.

### ADVANCED MOISTURE SENSING

Retain the softness, loft, and warmth of Down jackets with 3D Active Sense. By sensing moisture both on the surface and inside the load, the cycle is adjusted for gentle, even drying. Jackets dry with up to 17% more volume than air drying, protecting fine protein fibres from heat and friction while preserving structure and lasting warmth.

### GENTLE CARE FOR THE FINEST WOOL

Even the most delicate, hand-wash only woollens are safely dried with Woolmark Blue certified cycles. Wool fibres are fragile when wet, and heat can quickly alter their structure. Precisely controlled temperature and airflow gently care for each fibre, preserving softness, shape, and fit so garments emerge beautifully maintained and ready to wear.

### STEAM REFRESH

Gently refresh Lyocell garments with Steam Refresh. Lyocell fibres are made of delicate microfibrils that can develop fuzz or pills if fully saturated or over-agitated. Steam Refresh applies just the right amount of moisture to relax fibres without excessive swelling, reducing the risk of pilling and helping garments retain their smooth appearance and soft feel between washes.

### PROTECT LINEN FROM TANGLING

TangleProtect keeps Linen garments moving freely by alternating drum direction, preventing twisting or clumping that can cause uneven drying. Linen fibres absorb water easily, causing them to swell and collapse, which leads to creasing. The Linen cycle and full-reversing drum gently tumbles garments, reducing strain, reducing wrinkles, and preserving Linen’s natural softness, texture and drape.

SPECIFICATIONS

Accessories (included)

Drying rack

Capacity

Total capacity10 kg

Consumption

Energy rating10 star

Controls

Adjustable alert beeps  
Beeps on/off function  
Interface type7" touchscreen

Features

Child/Keylock  
Clean condenser filter reminder  
Clean door lint filter reminder

Crease Free  
Drain Hose  
Drum light  
Easy access lint filter  
Easy clean condenser filter  
End of cycle signal  
Favourite cycle  
Front and back levelling feet  
Iron ready alert  
No external venting  
Smart appliance  
Stainless steel drum

Performance

3D sensing technology  
Auto sensing  
Compressor type  
Delay start  
Dryness settings  
Heat pump technology  
Refrigerant type  
Reverse tumbling  
TangleProtect  
Time dry

Product dimensions

Depth695 mm  
Height850 mm  
Width602 mm

SKU93317

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel’s Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

- Installation Guide - Dryer (English)
- Installation Guide - Side by Side (English)
- Installation Guide - Stacked (English)
- Planning Guide - Fabric Care Solutions (English)
- Introducing Fabric Care Solutions (English)

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances’ In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product’s in-use energy. This is calculated either annually or per cycle, using the product’s market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 0800 372 273 W [www.fisherpaykel.com](http://www.fisherpaykel.com)