

# 90cm Series 9

## Contemporary 5 Burner Dual Fuel Pyrolytic Cooker

Series 9 | Contemporary




Get the best of both worlds with dual fuel performance. A spacious gas cooktop is paired with a large convection oven with rotisserie.

- Gas cooktop with five burners including wok burners
- Convection oven with 140L capacity and nine oven functions including Pastry Bake with pizza mode, and Rapid Proof
- Non-tip full-extension shelves for safe removal of hot dishes
- Pyrolytic self-clean that breaks down food residue for an easy clean

- Pyrolytic self-clean breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth

### DIMENSIONS

Height	898 - 946 mm
Width	897 mm
Depth	600 mm



### FEATURES & BENEFITS

#### Multi-Shelf Cooking

Our AeroTech™ system circulates air evenly throughout the entire oven so dishes on the top shelf turn out just as perfect as food cooking on the bottom shelf.

#### Quality And Durability

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, precise electric temperature control and chromed cast zinc dials all add up to an exceptional, premium freestanding cooker.

#### Power & Control

Instant and immediate control from the highest to the gentlest heat. The finely tuned hob controls let you sear, stir fry or simmer a delicate sauce to perfection.

#### Easy Cleaning

Cleaning up spills is effortless. Your cooktop simply needs a quick wipe to keep it looking good as new. The pyrolytic self-clean oven cycle breaks down food residue at a very high temperature, leaving a light ash that's easily removed with a damp cloth.

#### Even Heat

Accurate, electronically-controlled oven heat ensures a great result every time.

#### Large Capacity Oven

The generous 140L total capacity oven gives you plenty of space to cook multiple dishes at once.

### SPECIFICATIONS

#### Accessories (included)

Flat wire shelf	1
Full extension sliding shelves	2 sets (part 578744)
Full extension telescopic shelves	2 sets (part 578744)
Grill rack	TRUE
Roasting dish	1
Rotisserie set	1 set

Small pot support	1 (part 533981 cast)	Removable oven door inner glass	•	Twin cavity fans	•
Step down wire shelf	•	Removable shelf runners	•	Warming drawer	•
Accessories (sold separately)		Controls		Oven functions	
Kick strip, stainless steel (optional)	KICKOR90X1	Audio feedback	•	Bake	•
Burner ratings		Automatic cooking/minute timer	•	Fan bake	•
Dual wok burner inner/outer (LPG)	14.9MJ/h	Automatic pre-set temperatures	•	Fan forced	•
Dual wok burner inner/outer (natural gas)	16.2MJ/h	Celsius/Fahrenheit temperature	•	Fan grill	•
Maximum burner power	16.2MJ/h	Electronic clock	•	Grill	•
Semi-rapid burner (LPG) x2	5.8MJ/h	High resolution display	•	Number of functions	9
Semi-rapid burner (natural gas) x2	6.5MJ/h	Laser etched graphics	•	Pastry Bake with Pizza mode	•
Total cooktop power	58.0MJ/h	Precise electronic temperature control	•	Rapid proof	•
Triple ring wok burner (LPG) x2	14.4MJ/h	Sabbath mode	•	Roast	•
Triple ring wok burner (natural gas) x2	14.4MJ/h	Turned stainless steel clock buttons	•	Rotisserie	•
Capacity		Turned stainless steel clock crown (dial)	•	True convection	•
Shelf positions (main oven)	6	Turned stainless steel dials with illuminated halos	•	Oven performance	
Total capacity	140 L	Installation Dimensions		CoolTouch door	Quadruple glazed
Usable capacity (main oven)	120 L	Installation cutout dimensions (Depth)	600 mm	Warming drawer power	202 W
Cleaning		Installation cutout dimensions (Width)	900 mm	Power requirements	
Acid resistant graphite enamel	•	Oven features		Amperage	23 A
Drop down grill element	•	AeroTech™ technology	•	Supply frequency	50 Hz
Pyrolytic proof shelf runners	•	Automatic rapid pre-heat	•	Product dimensions	
Pyrolytic self-clean	•	Electronic oven control	•	Depth	600 mm
Removable oven door	•	Full extension telescopic sliding shelves	•	Height	898 - 946 mm
		Soft open/close door	•		
		True convection	•		

Width	897 mm
<hr/>	
<b>Rangetop features</b>	
Brass burner spreader (power burner)	•
Embossed brass burner cap (power burner)	•
Hob rear trim	60 mm
LPG / Natural Gas compatible	•
Sealed range top	•
<hr/>	
<b>Safety</b>	
Advanced cooling system	•
Anti-tilt bracket	•
Balanced oven door	•
Catalytic venting system	•
CoolTouch door	•
Flame failure system	•
Full extension telescopic sliding shelves	•
Non-tip shelves	•
Spill containment	26 L
<hr/>	
SKU	81687
<hr/>	

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at [fisherpaykel.com](https://fisherpaykel.com)

- [↓](#) Installation Guide
- [↓](#) Installation Guide - Kick Strip
- [↓](#) Revit Dual Fuel Cooker
- [↓](#) Rhino Dual Fuel Cooker
- [↓](#) Sketchup Dual Fuel Cooker
- [↓](#) User Guide
- [↓](#) User Guide Dual Fuel Cooker

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



**A PEACE OF MIND SALE**  
24 Hours 7 Days a Week Customer Support  
T 0800 372 273 W[www.fisherpaykel.com](https://www.fisherpaykel.com)