QUICK REFERENCE GUIDE > RS6121VR2K1 Date: 22.10.2025 > 1

61cm Series 11 Integrated Column Wine Cabinet

Series 11 | Integrated




Create a wine collector's ultimate kitchen with a panel ready Column Wine Cabinet that seamlessly integrates into your kitchen design.

- A generous 91 bottle capacity, with optional display capability for your favourite bottles
- Two independent Variable Temperature Zones, each with four wine modes to create the best environment for any varietal
- Pair with Integrated Column Refrigerators and Freezers or install separately to suit your kitchen design
- Customise with your own cabinetry, or purchase our stainless steel door panel. Designed to fit flush, with minimal 3mm gaps

DIMENSIONS

Height 2134 mm
Width 603 mm
Depth 610 mm



FEATURES & BENEFITS

The Perfect Fit

Customise your Integrated Column Wine Cabinet with a door panel that matches your kitchen cabinetry, or purchase our stainless steel door panel accessory. You can also choose your preferred handle style, opt for left or right hinge, as well as mix and match with other Integrated Column Refrigerator and Freezer models.

Optimal Wine Care

To provide the optimal storage environment for your collection, your Integrated Column Wine Cabinet has been engineered to maintain a consistent temperature throughout both zones. An activated carbon filter in each compartment clears the air of pollutants to ensure your wine is perfectly cared for.

Precise Temperature Control

Four specially developed wine modes provide optimal temperatures for serving and cellaring different types of wine. Red, White, Sparkling and Cellar modes ensure that each bottle gets the care it needs to be enjoyed at its best. You can also adjust manually in 0.5°C increments between 6-18°C.

Reduced Vibration

Vibration can dull flavor and cause other unwanted issues in wine. With a quiet, low vibration compressor, full-extension slides with white oak shelving, and other strategically chosen absorptive materials, the Integrated Column Wine Cabinet carefully maintains the flavour profile of every drop.

Customisable Lighting

The tinted glass door effectively filters out UV light, allowing your wine to mature at its natural pace. LED lighting provides four beautiful illumination options to showcase the highlights of your collection, from a candlelit ambience to a brilliant display lighting. Display mode automates the lighting cycle to show off your collection on special occasions.

Curate Your Collection.

Showcase your collection with accessories for our Integrated Column Wine Cabinet. Independent cradles can be adjusted to create your ideal display angle, while a water-based pencil and aluminium labels offer a stylish way to catalogue your wine..

SPECIFICATIONS

Accessories (included)

Joiner Kit	AJ-RS21LR	Air filter lower compa
		Air filter upper compa
		Door alarm
Accessories (sold separately)		Full extension display
Door panel stainless steel Wine cabinet	Left hinge	Full extension storage
	RD6121VL4, Right hinge RD6121VR4	LED ceiling lighting
Handle kit Classic	AHCLRDSF	LED side lighting
Handle kit Contemporary round	AHSRDSF	Low vibration compre
Handle kit Contemporary square fine, aluminium	AHD5RDSF	Precision ball-bearing Rated load for slide ru
Handle kit Contemporary square fine, black	AHD5RDSFB	Smart appliance
Handle kit Professional round flush	AHP3RDSF	SmartTouch interface
Joiner kit	AJRS35LR	Soft-mounted wine ra
Toe kick stainless steel 1067mm	AKRS10710	UV tempered glass do
Toe kick stainless steel 1220mm	AKRS12210	, ,
Toe kick stainless steel 1372mm	AKRS13710	
Toe kick stainless steel 1524mm	AKRS15210	Performance
Toe kick stainless steel 610mm	AKRS06110	ActiveSmart™ wine ca
Toe kick stainless steel 762mm	AKRS7610	Dual evaporator
Wine display kit (four cradles and rail with positioning guide)	ADV4	Inverter controlled co
Wine display label Kit (14 labels with white pencil)	ALV14	Noise emissions Noise emissions class
Wine filter odour kit	863974	Sabbath mode
		Variable temperature
		Variable wine modes
Capacity		
Number of bottles	91	
Volume	376 L	Power requirements
		Rated current
		Supply frequency
Features		Supply voltage

Air filter lower compartment	•
Air filter upper compartment	•
Door alarm	•
Full extension display shelf	1
Full extension storage racks	13
LED ceiling lighting	•
LED side lighting	•
Low vibration compressor	•
Precision ball-bearing runner mounted racks	•
Rated load for slide runners	40 kg
Smart appliance	•
SmartTouch interface at counter height	•
Soft-mounted wine racks	•
UV tempered glass door	•

ActiveSmart™ wine care	•
Dual evaporator	•
Inverter controlled compressor	•
Noise emissions	42 dBA
Noise emissions class	D
Sabbath mode	•
Variable temperature zones	2

Power requirements	
Rated current	10 A
Supply frequency	50 Hz

Product dimensions

Depth	610 mm
Height	2134 mm
Width	603 mm

SKU	25744
01.0	20711

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

Other product downloads available at fisherpaykel.com

→ DWG K05 Hinge→ DXF K05 Hinge

L DXF

ואס

Installation Guide - Assisted Opening Accessory - Integrated Refrigeration (English)

Installation Guide - Toe Kick (English)

Installation Guide Integrated Column Refrigerator

Planning Guide Assisted Opening Accessory
Revit

L Rhino

Red

220-240 V

<u>▼</u> Killio

Rhino Appliance with Door Panel and Contemporary Round Handle

Rhino Appliance with Door Panel and Contemporary Square Handle

SketchUp

SketchUp Appliance with Door Panel and Contemporary Round Handle

QUICK REFERENCE GUIDE > RS6121VR2K1 Date: 22.10.2025 > 3



SketchUp Appliance with Door Panel and Contemporary Square Handle



User Guide

Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.



A PEACE OF MIND SALE 24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com