# Series 5 Contemporary Dishwasher

Series 5 | Contemporary

Black Stainless Steel



Designed to adapt to every load, this dishwasher combines Auto Cycle sensing, AutoDry technology and efficient 4-star energy and 5-star water ratings to deliver consistent cleaning and drying performance. Adjustable-height racks, foldable tines, Half Load and Dry+ modifiers help optimise care across everything from delicate glassware to heavily soiled cookware.

- Seven wash programs including 60 min and Eco, plus modifiers like Dry+, Sanitise and Half Load
- Auto Cycle senses how dirty the dishes are and adjusts the wash accordingly
- AutoDry automatically opens the door at the end of a cycle for better drying
- For added peace of mind, Aqua Stop automatically shuts off the water if a leak is detected

## DIMENSIONS

| | |
|---|---|
| Height | 850 - 895 mm |
| Width | 597 mm |
| Depth | 600 mm |

## FEATURES & BENEFITS

### 80 Years of Clean Dishes

We have spent 80 years obsessing over the science of clean dishes - meticulously calibrating time, temperature, water movement and chemistry to deliver perfect results. That expertise is built into every cycle, where refined wash systems, sensing, and product intelligence work together to tackle everything from everyday loads to baked-on residue with ease.

### Efficient Water and Energy Use

Designed to help reduce consumption with 4-star energy and 5-star water ratings, Eco Cycle balances time and energy to deliver a thorough clean while using up to 45% less energy compared to the Medium cycle. The quiet, energy efficient cycle fits perfectly into evening routines, so you wake to clean dishes and a lighter environmental footprint.

### Flexible by Design

No two days in the kitchen are the same, so your dishwasher needs to adapt. A height-adjustable upper basket creates space for tall dishes or bulky cookware, while adjustable cup racks and foldable tines let you secure smaller items and easily customise the layout for each load.

### Balance in Every Cycle

Not every load demands the same approach. From everyday dishes to heavily soiled cookware, our cycles and modifiers are designed to deliver the right level of care for each wash. Half Load optimises smaller washes, Sanitise provides added hygiene, and Dry+ improves drying performance on plastics for reliable results across every load.

### Automatic Intelligence

Everyday routines are made simpler when the details are taken care of for you. Auto Cycle uses sensors to detect how dirty the load is, intelligently adjusting time, temperature, and water use to create the most appropriate wash conditions for each load. The result is consistent cleaning performance with efficient use of resources, wash after wash.

### Designed for Better Drying

Clean dishes are the result of more than just the wash, with drying a crucial final step in the process. AutoDry automatically opens the door at the end of the cycle, releasing steam to support more effective drying. Delivering dishes that are clean, dry, and ready to be put away.

### Engineered for Life

Trust is earned over time through consistent results. That is why our team of scientists test wash performance using over 100,000 pieces of cutlery and crockery each year. By carefully analysing soil removal, water and energy consumption, we continuously refine our cycles to deliver proven consistency, wash after wash, transforming dishwashing routines into rituals.

## SPECIFICATIONS

### Capacity and loading

| | |
|---|---|
| Accommodates round plates up to (lower basket) | 320mm |
| Accommodates round plates up to (top basket) | 250mm |
| Adjustable height, foldable cupracks | • |
| Easy lift adjustable upper basket | • |
| Fold down tines | • |
| Place settings | 15 |
| Place settings | 15 |

### Consumption

| | |
|---|---|
| Energy rating | 4 star |
| Energy usage | 246kWh/year |
| In-use energy carbon emissions estimate | 23.4kgCO2e/year |
| Water consumption (per wash cycle) | 12.2L |
| Water rating | 5 star (WELS) |

### Controls

| | |
|---|---|
| Energy saving delay start option of up to 12 hours | • |
| Keylock | • |
| Rinse aid indicator light | • |

### Features

| | |
|---|---|
| Aquastop | • |
| Auto Door Open Dry | • |
| Flood protection | • |
| Half load option | • |
| Internal tub material | Stainless Steel |
| Motor type | Asynchronous |
| ThermoDry system | • |
| Three-stage filtration system | • |

### Performance

| | |
|---|---|
| Noise emissions | 46 dBA |

### Power requirements

| | |
|---|---|
| Dedicated Circuit (A) | 10A |
| Supply frequency | 50 Hz |
| Voltage | 220 - 240V |

### Product dimensions

| | |
|---|---|
| Depth | 600 mm |
| Height | 850 - 895 mm |
| Width | 597 mm |

### Wash Program Modifiers

| | |
|---|---|
| Dry + | • |
| Half load | • |
| Sanitise | • |
| Wash modifiers | 3 |

### Wash Programs

| | |
|---|---|
| 60 min | • |
| Auto | • |
| Eco | • |
| Heavy | • |
| Light | • |
| Medium | • |
| Rinse | • |
| Wash programs | 7 |

### Water connection

| | |
|---|---|
| Water pressure | 30kPa - 1000 kPa |
| Water supply | 3/4" BSP (20mm) Connector Water Inlet Hose |

| | |
|---|---|
| SKU | 84222 |

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. © Fisher & Paykel Appliances Ltd 2020

### Other product downloads available at fisherpaykel.com

- DWG
- DXF
- DXF
- Data Sheet (English)
- DWG
- Energy Label
- Installation Guide (English)
- Planning Guide (English)
- Revit
- Rhino
- SketchUp
- User Guide (English)

### Where applicable:

All appliances use energy, and energy usage typically generates carbon emissions. **Fisher & Paykel Appliances' In-use Energy Carbon Emissions Estimate** indicates carbon emissions from a product's in-use energy. This is calculated either annually or per cycle, using the product's market-specific energy label energy consumption data multiplied by the carbon emissions factor for energy in your country or region.

Our In-use Energy Carbon Emissions Estimate is designed to assist customers in making informed purchasing decisions when comparing different Fisher & Paykel products. For example, a heat pump dryer typically has a lower In-use Energy Carbon Emissions Estimate than a vented dryer.




A PEACE OF MIND SALE
24 Hours 7 Days a Week Customer Support

T 0800 372 273 Wwww.fisherpaykel.com